



# Colorado River fish monitoring in Grand Canyon, Arizona: 2002-2012 humpback chub, *Gila cypha*, aggregations.



U.S. Department of the Interior  
U.S. Geological Survey



William R. Persons<sup>1</sup> and  
David R. VanHaverbeke<sup>2</sup>

<sup>1</sup>U.S.G.S. Grand Canyon Monitoring and Research  
Center

<sup>2</sup>U.S. Fish and Wildlife Service




# Aggregation:

**“a consistent and disjunct group of fish with no significant exchange of individuals with other aggregations, as indicated by recapture of PIT-tagged juveniles and adults and movement of radio-tagged adults” (Valdez and Ryel, 1995).**

# 1993 Aggregations

Aggregation	Abundance	95% C.I.
30-Mile	52	24-136
Little Colorado River Inflow	3,482	2,682-4,281
Lava Chuar to Hance	-	
Bright Angel Creek Inflow	-	
Shinumo Creek Inflow	57	31-149
Stephen Aisle	-	
Middle Granite Gorge	98	74-153
Havasus Creek Inflow	13	5 - 70
Pumpkin Spring	5	4-16

# Aggregations 1993



# METHODS (1): Generate pooled capture probabilities estimates

Years	Marks	Captures	Recaptures	p1 mark rate	p2 recap rate
2002 - 2003	31	46	3	0.065	0.097
2003 - 2004	46	29	2	0.069	0.043
2010 - 2011	168	141	8	0.057	0.048
2011 - 2012	141	99	5	0.051	0.035
Pooled	386	315	18	0.057	0.047

Data from 2002-2012 consecutive years (2002-2004 Ackerman 2008).

# METHODS (2): Generate abundance estimates


$$\text{Abundance} = \text{Catch} / p$$

$$16 / 0.0507 = 280$$


$$16 / 0.0407 = 343$$

$$\text{Average} = (280 + 343)/2 = 312$$

# Catches of humpback chub 2002-2012.




# Abundance estimates 1993-2012.




PRELIMINARY DATA, SUBJECT TO REVISION, DO NOT CITE

# 1993 Aggregations



# 2012 Aggregations



PRELIMINARY DATA, SUBJECT TO REVISION, DO NOT CITE

# Location of tagging and recapture, humpback chub 1989-2012.

		Location recaptured											
Location tagged	Number Marked	30M	LCR	LCR reach	LCH	BAC	SHI	STE	MGG	HAV	PUM	Total	% FIDELITY
30M	61	36	2	2	-	-	-	-	-	-	-	40	59%
LCR	38,502	3	33,841	2,720	73	3	4	2	4	3	-	36,656	88%
LCR reach	4,698	1	1,934	1,870	16	1	1	-	1	2	-	3,826	40%
LCH	271	-	47	22	10	-	-	-	-	-	-	79	4%
BAC	22	-	1	-	-	-	-	-	-	-	-	1	-
SHI	1,001	-	-	-	-	-	71	1	2	-	-	74	7%
STE	76	-	1	1	-	-	-	1	2	-	-	5	1%
MGG	314	-	-	1	-	-	1	1	87	1	-	92	28%
HAV	617	-	4	-	-	-	-	-	-	14	-	18	2%
PUM	27	-	-	-	-	-	-	-	-	-	2	2	7%
<b>Total</b>	<b>45,589</b>	40	35,831	4,616	99	5	77	5	96	23	2	40,799	



Number marked includes fish that were translocated.

PRELIMINARY DATA, SUBJECT TO REVISION, DO NOT CITE

# Location of tagging and recapture, humpback chub 1989-2012.

		Location recaptured											
Location tagged	Number Marked	30M	LCR	LCR reach	LCH	BAC	SHI	STE	MGG	HAV	PUM	Total	FIDELITY
30M	61	36	2	2	-	-	-	-	-	-	-	40	59%
LCR	38,502	3	33,841	2,720	73	3	4	2	4	3	-	36,656	88%
LCR reach	4,698	1	1,934	1,870	16	1	1	-	1	2	-	3,826	40%
LCH	271	-	47	22	10	-	-	-	-	-	-	79	4%
BAC	22	-	1	-	-	-	-	-	-	-	-	1	-
SHI	1,001	-	-	-	-	-	71	1	2	-	-	74	7%
STE	76	-	1	1	-	-	-	1	2	-	-	5	1%
MGG	314	-	-	1	-	-	1	1	87	1	-	92	28%
HAV	617	-	4	-	-	-	-	-	-	14	-	18	2%
PUM	27	-	-	-	-	-	-	-	-	-	2	2	7%
<b>Total</b>	<b>45,589</b>	<b>40</b>	<b>35,831</b>	<b>4,616</b>	<b>99</b>	<b>5</b>	<b>77</b>	<b>5</b>	<b>96</b>	<b>23</b>	<b>2</b>	<b>40,799</b>	



PRELIMINARY DATA, SUBJECT TO REVISION, DO NOT CITE

# Increasing abundance:

- Warmer than normal water during 2004, 2005, 2011
- Translocations
  - Shinumo Creek
    - 902 fish 2009-2011
  - Havasu Creek
    - 543 fish 2011-12
- Mechanical trout removal at LCR confluence 2003-2006, 2009
- Good production from Little Colorado River

# Future Directions:

- Increase sampling effort at areas outside of discrete aggregations during 2013-14.
- Humpback chub natal origins project 2013-14.
  - Otolith microchemistry, ultrasound.

